


AERODROME CHART - ICAO

ARP 515229N 0002206W

AD ELEV 526FT

LONDON LUTON EGGW


GUND (Geoid Undulation) = The height of the Geoid (MSL) above the Reference Ellipsoid (WGS 84) at the stated position.	
BEARINGS ARE MAGNETIC ELEVATIONS AND HEIGHTS ARE IN FEET	676 (150)
ELEVATIONS IN FEET AMSL HEIGHTS IN FEET ABOVE AD	



VAR 0.3°W - 2019
N

Annual Rate
of Change 0.15°E

COM	
ATIS	120.580 LUTON INFO
TWR	132.555 LUTON TOWER
	121.755 (GMC) LUTON GROUND
	121.885 LUTON DELIVERY
	121.800 LUTON FIRE
LIGHTING	
APCH 08	427m. HI coded C/L with 3 crossbars.
APCH 26	844m. HI coded C/L with 5 crossbars. Supplementary lighting inner 240m.
APCH 08/26	
THR 08/26	Flush uni-d green with elev green W bars.
RWY 08/26	Elev HI bi-d with LI omni-d component. HI colour coded C/L. TDZ 900m. End lights red. Blue turning circle lights.
TWY	colour coded C/L. Blue edge in run-up area. Switched red runway stop bars. Green/Yellow lead on/off C/L at A1, B1, C1, H1.



RUNWAY/TAXIWAY/APRON PHYSICAL CHARACTERISTICS		
APRON / RWY / TWY	SURFACE	BEARING STRENGTH
RWY 08/26	Grooved Asphalt	75(R/D)/XT
East Apron	Concrete/Asphalt	-
South Apron	Concrete/Asphalt	-
Cargo Apron	Concrete/Asphalt	-
Twys A, B, C, D, H, J	Asphalt	-
Twy E	Concrete	-

Turn-offs from 08/26 Runway onto
Taxiway Charlie are prohibited
except when authorised by ATC.

CHANGE (5/19): HOLD F1 REDESIGNATED J1. BUILDINGS, AERODROME BOUNDARY, VEHICLE ACCESS LINK A3.